

# Degreaser

## SLOTOCLEAN AK 2220

The Degreaser SLOTOCLEAN AK 2220 is a weak alkaline immersion degreaser for immersion degreasing of steel, non ferrous metals and aluminium.

The Degreaser SLOTOCLEAN AK 2220 is excellently suitable for the removal of processing oils and pigmented drawing compounds that require a weak alkaline product. The degreaser is very effective even at moderate temperatures and features excellent rinsing behaviour. In plants with a high bath load a separate dirt compartments respectively oil separators in case of strong drag-in of oil are advantageous. Degreaser SLOTOCLEAN AK 2220 is particularly suitable for this type of application.

Degreaser SLOTOCLEAN AK 2220 can be operated independently or in conjunction with a degreaser additive according to the assigned task. Our Summary Degreaser Additives (BATH 02300-E) informs you about the different possible combinations.

The information in this data sheet is based on laboratory as well as practical experience. Figures quoted for operating limits and replenishment quantities are for guidance. Actual values necessary will depend on the components being plated (material and geometry), their application and plating plant conditions.

### Important:

Please read this instruction carefully prior to the use of the process and carefully follow all the parameters that have a direct influence on the operation. We reserve the right to make technical changes. In the interest of safety, please pay attention to the hazard warnings on the labels of the containers. The minimum shelf life of the products is included on the labels and is also available in the appropriate Quality Assurance (QA03).

The current IMDS number of the layer deposited from the process is available on the internet at [www.schloetter.com/downloads](http://www.schloetter.com/downloads).

For the storage of chemical products the TRGS 510 must be followed.

**If the additives used in this process contain a SVHC-substance, then this will be specified in the corresponding Material Safety Data Sheet, section 15.**

